

PUBLIC SUBMISSION

As of: November 09, 2010 Received: November 08, 2010 Status: Posted Posted: November 08, 2010 Tracking No. 80b849d6 Comments Due: November 08, 2010 Submission Type: Web

Docket: EPA-R03-OW-2010-0736
Draft Chesapeake Bay Total Maximum Daily Load

Comment On: EPA-R03-OW-2010-0736-0001
Clean Water Act Section 303(d): Notice for the Public Review of the Draft Total Maximum Daily Load (TMDL) for the Chesapeake Bay

Document: EPA-R03-OW-2010-0736-0309
Comment submitted by R. Wilson

Submitter Information

Submitter's Representative: Ron Wilson
Organization: Friends of the Cacapon River

General Comment

I'm sorry I do not have a copy of the report to reference the specific location of my concern. My concern is the exclusion of "insignificant" waste treatment plants, i.e., those with a output below a certain level. However, 2 or more of these plants can easily exceed the cut-off level and have a significant impact on water quality. It is often the smaller plants that are failing in their treatment process. A lot of resources are devoted to reducing non-point sources of pollution. On the other hand, we know the exact location of the output from the smaller plants and it is technically possible to measure the pollutant, just as in the larger plants. I understand that most of these small plants do not have the resources to monitor their out-flow. It would seem to be a very prudent use of funds to upgrade their monitoring capabilities, since we now know the exact location of these potential pollution sources.